

Polyethylene Terephthalate (Film Grade)

Analysis Item	Specification	Unit	Method
Intrinsic Viscosity	0.64± 0.015	dUg	In combination with
DEGContent	1.5,	%Wt.	ASTM E2409-4 In combination with
Color (CIE Lab)		75 L-value	ASTMD6290-5
		20 B-value	In combination with WN-B010-7110E
Carboxyl End Group	:>32	meqlkg	ASTMD7409-7 In combination with WN-B010-7013E
Water Content	:>0.30	%Wt.	ASTMD6869-3 In combination with
Melting Point	255± 3	•C	ASTMD3418-3 In combination with
Chips Weight	1.7± 0.1	gr/100 EA	WN-B010-7089E

Note:1) Water Content determined before packing.
2) Color Determined after Crystallization